Hamlin County, South Dakota Acreage and Proportionate Extent of the Soils

Map	Soil name	Acres	Percent
symbol			
ArA	Arvilla sandy loam, 0 to 2 percent slopes	1,251	0.4
Ва	Radger gilty clay loam	364	0.1
BaB	Barnes clay loam, 2 to 6 percent slopes	48	*
BbB BbC	Barnes-buse loams, 2 to 6 percent slopes	4,453 3,943	1.3
BcD	Barnes-buse-svea loams, 2 to 15 percent slopes	21	*
BnA	Barnes-vienna complex. 0 to 2 percent slopes	468	0.1
BrA	Brandt silty clay loam, 0 to 2 percent slopes	6,486	1.9
BrB	Brandt silty clay loam 2 to 6 percent slopes	3,554	1.0
Bs B+D	Brookings silty clay loam	555	0.2
BtD BuC	Buse-barnes loams, 9 to 20 percent slopesBuse-barnes loams, 2 to 15 percent slopes, very stony	4,650 1,069	1.3
BuE	Buse-barnes loams, 9 to 40 percent slopes, very stony	1,357	0.4
BvD	Buse-lamoure, channeled, complex, 0 to 40 percent slopes	2,678	0.8
BxE	Buse-langhei complex, 15 to 40 percent slopes	1,792	0.5
ByC	Buse-poinsett complex, 6 to 9 percent slopes	7,887	2.3
ByD	Buse-poinsett complex, 9 to 15 percent slopes	1,745	0.5
Ca Co	Colvin-oldham silty clay loams	784 1,713	0.2
Cu	Cubden-badger gilty clay loamg	17,444	5.1
Cx	Cubden-tonka silty clay loams	9,187	2.7
Dv	Divide loam	4,236	1.2
EgB	Egeland-embden complex, 2 to 6 percent slopes	2,670	0.8
EmC	Egeland-maddock sandy loams, 6 to 9 percent slopesEstelline silt loam, 0 to 2 percent slopes	798	0.2
EsA EsB	Estelline silt loam, 0 to 2 percent slopes	2,201 6,476	0.6
Fa	Fairdale loam channeled	1,527	0.4
FdA	Fordville loam. 0 to 2 percent slopes	4,695	1.4
FoB	Fordville-renshaw loams, 2 to 6 percent slopes	3,425	1.0
HeA	Hetland silty clay loam, 0 to 2 percent slopes	1,942	0.6
HeB	Hetland silty clay loam, 2 to 6 percent slopes	1,677	0.5
KrA KrB	Kranzburg-brookings silty clay loams, 0 to 2 percent slopes	1,943 6,101	0.6
La	La prairie loam	2,525	0.7
Ld	Ladelle silt loam	3,770	1.1
Lm	Lamoure silty clay loam	4,616	1.3
Lr	Lamoure-rauville silty clay loams, channeled	5,541	1.6
Lw	Miscellaneous water	451	0.1
M-W Ma	Marysland loam	90 1,348	0.4
MbA	Mauvais clay loam 0 to 2 percent slopes	1,206	0.4
Mc	Mcintosh-badger silty clay loams	1,084	0.3
Mn	Minnewaukan loamy sand	618	0.2
Mz	Moritz-lamoure complex	479	0.1
Oh Or	Orthents, gravelly	4,779 333	1.4
Pa	Parnell silty clay loam	4,684	1.4
Pm	Playmoor silty clay loam	621	0.2
PoB	Poinsett-buse complex, 2 to 6 percent slopes	2,234	0.6
PsB	Poinsett-buse-waubay complex, 1 to 6 percent slopes	59,570	17.3
PsC	Poinsett-buse-waubay complex, 2 to 9 percent slopes	8,177	2.4
PwA PwB	Poinsett-waubay silty clay loams, 0 to 2 percent slopes	13,448 47,602	3.9
Ra	Rauville silty clay loam	2,205	0.6
ReA	Renshaw loam. 0 to 2 percent slopes	3,972	1.2
ReB	Renshaw loam, 2 to 6 percent slopes	1,000	0.3
RnC	Renshaw-brandt complex. 3 to 9 percent slopes	950	0.3
RsC	Renshaw sioux complex, 6 to 9 percent slopes	2,930	0.9
SaD So	Sioux-renshaw complex, 9 to 15 percent slopes	1,305 10,912	0.4
Sp	Spottswood loam	846	0.2
StB	Strayhoss loam 2 to 6 percent slopes	503	0.1
To	Tonka silty clay loam	1,005	0.3
VbA	Vienna-brookings complex, 0 to 2 percent slopes	5,078	1.5
VbB		17,520	5.1
VnC W	Vienna-buse complex, 6 to 9 percent slopes	2,056 17,668	0.6
w Wa	Waubay silty clay loam	4,182	1.2
,,,	manuary series of any foams	1,102	1

See footnote at end of table.

USDA-NRCS-South Dakota May 2002 Technical Guide Notice SD-130

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
	Total	344,448	100.0

^{*} Less than 0.1 percent.